Meyors - RBB



Meyors Chemical INC Limited

Operational Office Address: Suite 2610-2611 Foreign Trade Building, 239 Zhongxing Road, Luohu District, Shen Zhen City, P R of China

Tel: +86-755-8218 4166 Fax: +86-755-8218 7033 Email: info@meyor.cn URL: www.rbb.com.cn

DATA-SHEET

SPECIFICATION & DATA SHEET		Chemical Analysis:	
物质规格数据表		化学分析	
Product Code: 产品编码	AN0130 5 000 41	Chemical Name: 化学名称	Styrenated phenol 苯乙烯化苯酚
Trade Name: 商品名称	Antioxidant SP 防老剂 SP	CAS No.: CAS 编号:	61788-44-1
Molecular Formula: 分子式	C _{8n+6} H _{9n+4} O	Molecular Weight: 分子量	105 • N+92 (N=1~3)
Synonym 同类名称	SP;SPH		

Product Information: 产品资料

***Specification 规格

Appearance (visual inspection): 外观(目测)	Pale straw ti amber liquid 暗黄色至琥珀色液体	Loss on drying %≤ 加热减量%≤	1.0
Refractive index at 25℃ 25℃时的折光率	1.5985-1.6020	Viscosity (maps) 粘度(maps)	2.00-6.00
Ash content % 灰份%	0.5	Euphoric rate %≥ 透光度 %≥	70
Ph value PH 值	6.9-7.2	Assay content % ≥ 纯度 % ≥	95

***Typical Properties 主要特性

Montclair SP is a medium activity non-staining. Non-discoloring antioxidant for satex and solid runner formulations, and is a stabilizer for synthetic elastomers.

Montaclere SP is a general purpose antiosidant prociding oxidation resestance and moderate heat aging resistance propertides in NR, and in SBR, NBR, IR, BR and CR.

SP 是一种中等活性的非污染、非着色抗氧剂,适用于乳胶及固体橡胶配方,也可用做合成弹性提的稳定剂。SP 是一种通用的抗氧剂, 具有中等的抗热老化特性,NR,SBR,IR,BR,NBR及CR。

***Recommended Applications 应用推荐

Because of tus excellent color stability, it is widely used in whire and light colored opplications such as shoe sokes general mechanical goods, carpet backing, flooring, sporting goods, and latex.

Montaclere SP may reduce durface crazing caused by UV light degradation.

Montaclere SP may use alone or in combination wuth other antioxidants for the stabilization of synthetic elastomers.

Montaclere SP is regulated for use in article in articles in contact with food as specified under FDA 21 CFR177.2600, 175.105 and NgVV XXI, Caregoru 4, Santocures.

SP 具有极好的颜色稳定性,因而防范应用于白色或浅色制品中,如鞋底胶、通用橡胶工业制品、地毯背衬、地板、运动器材及乳胶。

SP能减少紫外光降解所引起的"裂纹"。

SP 可以单用或与其它抗氧剂并用,作合成弹性提稳定剂。

***Handling and Storage recommendations

The product should be stored in the dry and cooling place with good ventilation and should be avoiding hot and sunshine.12 months with the common storing condition. Recommend use of date is within 6 months.

SP 应贮存在阴凉、干燥、通风良好的地方。包装完好的产品应避免日光直射。

保质期: 12 个月,建议最佳使用期: 6 个月 以内。

***Package 包装

Bag:	25kg/bucket	Pallet(1.1*1.1*0.1): 800kg/P
包装:	25kg/桶	托盘(1.1*1.1*0.1): 800kg/P